

SAFETY DATA SHEET M1 CLEANING DETERGENT CONCENTRATE

SECTION 1: Identification of the substance/mixture and of the company/undertaking		
1.1. Product identifier		
Product name	M1 CLEANING DETERGENT CONCENTRATE	
Product number	HLM42	
1.2. Relevant identified uses	s of the substance or mixture and uses advised against	
Identified uses	Detergent. For professional use only.	
Uses advised against	Not for direct contact with Food or Beverage stuffs. Not for oral consumption.	
1.3. Details of the supplier of the safety data sheet		
Supplier	UK - Holchem Laboratories Ltd. Gateway House, Pilsworth Road, Bury, BL9 8RD Tel : +44 (0) 1706 222288; e-mail info@holchem.co.uk EU - Kersia Deutschland GmbH, Marie-Curie-Straße 23 53332 Bornheim - Sechtem	
1.4. Emergency telephone r	number	
Emergency telephone	Emergency Information:- For accidents and spillages involving this product that pose a threat to the environment, or human health, or require immediate first aid advice call:- +44(0) 1865 407333. Note:- This number will not accept order queries or calls dealing with equipment breakdowns. This product is registered with the NPIS. UK Environment Agency 24hour Advisory Service 0800 807060. Irish Environmental Protection Agency 1890 335599 (This is a Lo Call Number) This product is registered with the Irish National Poison Centre (NPIC at Beaumont Hospital - Dublin). The Poison Centre can be contacted between 8am and 10pm, telephone +00353 1 8092566.	
SECTION 2: Hazards identi	fication	

2.1. Classification of the substance or mixture

Classification (EC 1272/2008	 ;)
Physical hazards	Not Classified
Health hazards	Eye Dam. 1 - H318
Environmental hazards	Aquatic Chronic 3 - H412
2.2. Label elements	
Hazard pictograms	



Signal word

Danger

Hazard statements

H318 Causes serious eye damage. H412 Harmful to aquatic life with long lasting effects.

Precautionary statements	 P273 Avoid release to the environment. P280 Wear protective clothing, gloves, eye and face protection. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P313 Get medical advice/ attention. P404 Store in a closed container. P501 Dispose of contents/ container in accordance with international regulations.
Contains	ETHYLENEDIAMINETETRAACETIC ACID TETRASODIUM SALT, ISO TRIDECANOL ALCOHOL ETHOXYLATE, COCONUT DIETHANOLAMIDE, LAURYL BETAINE, D- GLUCOPYRANOSE, OLIGOMERS, DECYL OCTYL GLYCOSIDES
Detergent labelling	5 - < 15% EDTA and salts thereof, 5 - < 15% non-ionic surfactants, < 5% amphoteric surfactants, < 5% anionic surfactants, < 5% polycarboxylates

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

ETHYLENEDIAMINETETRAACETIC SALT	CACID TETRASODIUM		5-9%
CAS number: 64-02-8	EC number: 200-573-9	REACH registration number: 01- 2119486762-27	
Classification			
Met. Corr. 1 - H290			
Acute Tox. 4 - H302			
Acute Tox. 4 - H332			
Eye Dam. 1 - H318			
STOT RE 2 - H373			
ISO TRIDECANOL ALCOHOL ETHOXYLATE		5-109	
CAS number: 69011-36-5	EC number: 931-138-8	REACH registration number: 02- 2119552461-55-0000	
Classification			
Acute Tox. 4 - H302			
Skin Irrit. 2 - H315			
Eye Dam. 1 - H318			
Aquatic Chronic 3 - H412			
COCONUT DIETHANOLAMIDE			1-5%
CAS number: 68603-42-9	EC number: 203-868-0	REACH registration number: 01- 2119490100-53	
Classification			
Skin Irrit. 2 - H315			
Eye Dam. 1 - H318			
Aquatic Chronic 2 - H411			

MONO SODIUM SALT	'ETHYL)-N-DODECYL		1-59
CAS number: 90170-43-7	EC number: 290-476-8		
Classification Eye Irrit. 2 - H319			
LAURYL BETAINE			1-5
CAS number: 683-10-3	EC number: 211-669-5		
Classification Acute Tox. 4 - H302 Acute Tox. 4 - H312 Skin Irrit. 2 - H315 Eye Dam. 1 - H318			
D-GLUCOPYRANOSE, OLIGOM GLYCOSIDES	ERS, DECYL OCTYL		1-5'
CAS number: 68515-73-1	EC number: 500-220-1	REACH registration number: 01- 2119488530-36-XXXX	
Classification Eye Dam. 1 - H318			
GLYCERINE			<19
CAS number: 56-81-5	EC number: 200-289-5	REACH registration number: 01- 2119471987-18-XXXX	
Classification Not Classified			
SODIUM HYDROXIDE			<19
CAS number: 1310-73-2	EC number: 215-185-5	REACH registration number: 01- 2119457892-27	
Classification Met. Corr. 1 - H290 Skin Corr. 1A - H314			

Composition comments To the best of our knowledge, all of the substances used in this product are being supported for the relevent application in REACH.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

For immediate First Aid advice in the UK, dial 111. When it is safe to do so, remove victim immediately from source of exposure. However, consideration should be given as to whether moving the victim will cause further injury.

6.2. Environmental precaution Environmental precautions	Spillages or uncontrolled discharges into watercourses must be reported immediately to the Environmental Agency or other appropriate regulatory body. Avoid or minimise the creation of any environmental contamination.	
Personal precautions	Wear protective clothing as described in Section 8 of this safety data sheet.	
	tective equipment and emergency procedures	
SECTION 6: Accidental release measures		
Special protective equipment for firefighters	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.	
5.3. Advice for firefighters Protective actions during firefighting	Protective clothing and respiratory protection should be worn when tackling fires involving this product. Control run-off water by containing and keeping it out of sewers and watercourses.	
Specific hazards	The product is non-combustible. Irritating gases or vapours.	
5.2. Special hazards arising from	om the substance or mixture	
Suitable extinguishing media	The product is non-combustible. Use fire-extinguishing media suitable for the surrounding fire.	
5.1. Extinguishing media		
SECTION 5: Firefighting meas	sures	
Notes for the doctor	Rinse well with water to neutral pH.	
4.3. Indication of any immediate medical attention and special treatment needed		
Eye contact	May cause irritation to the eyes. May result in permanent eye damage.	
Skin contact	Prolonged or repeated contact with skin may cause irritation, redness and dermatitis.	
Ingestion	Unlikely route of exposure without deliberate abuse. If neat chemical is ingested, irritation of the mouth, throat and GI tract may occur. If dilute chemical is ingested some soreness of the mouth, throat and GI tract may occur.	
Inhalation	Unlikely route of exposure. Inhalation of sprayed droplets may result in soreness of the throat, mouth and nose.	
General information	Neat product may cause irritation to skin and eyes. Dilute chemical may result in mild irritation to skin. Contact of dilute chemical with eyes should still be treated as outlined above.	
4.2. Most important symptoms	and effects, both acute and delayed	
Eye contact	Remove any contact lenses and open eyelids wide apart. Rinse immediately with plenty of water. Continue to rinse for at least 15 minutes and get medical attention.	
Skin contact	Remove contaminated clothing that is not stuck to the skin. Flush area with clean water. Get medical attention if any discomfort continues.	
Ingestion	Do not induce vomiting. Rinse mouth thoroughly with water. Place unconscious person on the side in the recovery position and ensure breathing can take place. Get medical attention.	
Inhalation	Remove affected person from source of contamination. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. If breathing stops, provide artificial respiration. Get medical attention if any discomfort continues.	

6.3. Methods and material for containment and cleaning up

Methods for cleaning up	Stop leak if possible without risk. Absorb in vermiculite, dry sand or earth and place into containers. Collect and place in suitable waste disposal containers and seal securely. For waste disposal, see Section 13. Containers with collected spillage must be properly labelled with correct contents and hazard symbol.
6.4. Reference to other section	ns
Reference to other sections	See sections 8,12 & 13
SECTION 7: Handling and sto	rage
7.1. Precautions for safe hand	ling
Usage precautions	Wear suitable protective equipment for prolonged exposure and/or high concentrations of vapours, spray or mist. Read and follow manufacturer's recommendations.
7.2. Conditions for safe storag	e, including any incompatibilities
Storage precautions	Keep container tightly closed. Keep only in the original container. Store in a demarcated bunded area to prevent release to drains and/or watercourses.
7.3. Specific end use(s)	
Specific end use(s)	Detergent, refer to Product Information Sheet for full details.
Usage description	This product is suitable for cleaning food process plants, it is not suitable for direct food contact.
SECTION 8: Exposure control	s/Personal protection
8.1. Control parameters Occupational exposure limits GLYCERINE Long-term exposure limit (8-ho SODIUM HYDROXIDE Short-term exposure limit (15- WEL = Workplace Exposure L	
Ingredient comments	Where an exposure level is quoted, a risk assessment should consider if there is a need to monitor the atmosphere of the working environment. Results should be compared against the WEL and/or DNEL information provided. The Long Term WEL refers to total exposure of a worker to a specific substance averaged out over an 8 hour period. The Short Term WEL refers to a single exposure of a worker to a specific substance over a 15 minute period. If the Short Term WEL is exceeded and no Long Term Limit is set, further exposure during the working shift is not permitted. Further controls should be implemented to ensure that future exposure to the substance is reduced below the levels set before the activity is repeated/continued. Where no Short Term WEL exists, guidance from the HSE is to use a value of three times the Long Term WEL. The WEL limits are laid down in the EH40 list as supplied by the HSE. Where a worker is exposed to levels approaching a limit, further exposure control measures should be considered to reduce exposure to the substance. DNEL and/or PNEC information is supplied by manufacturers of substances in accordance with REACH legislation (Regulation (EC) No 1907/2006), and is used to provide suitable risk reduction measures to limit exposure of the user of the substance to a non hazardous level. If the measured level of exposure by a route divided by the DNEL for the route is greater than 1, then further exposure controls should be implemented as described in section 8.2. Where new information becomes available under REACH, this will be passed on as revisions to the Safety Data Sheet.

ETHYLENEDIAMINETETRAACETIC ACID TETRASODIUM SALT (CAS: 64-02-8)

Professional - Inhalation; Long term systemic effects: 1.5 mg/m ³
- Fresh water; 2.86 mg/l
- marine water; 0.286 mg/l
- Intermittent release; 1.56 mg/l
- Soil; 0.937 mg/kg, mg/kg dwt
- STP; 55.94 mg/kg
COCONUT DIETHANOLAMIDE (CAS: 68603-42-9)
Professional - Dermal; Long term systemic effects: 4.16 mg/kg/day
Professional - Dermal; Short term local effects: 0.09 mg/cm2
Professional - Inhalation; Long term systemic effects: 73.4 mg/m ³
- Intermittent release; 0.024 mg/l
- Fresh water; 0.0024 mg/l
- marine water; 0.00024 mg/l
- STP; 0.83 mg/l
SODIUM ARYL SULPHONATE (CAS: 1300-72-7)
Workers - Dermal; Long term systemic effects: 136.25 mg/kg/day
Workers - Inhalation; Long term systemic effects: 26.9 mg/m ³
Workers - Dermal; Long term local effects: 0.096 mg/cm ²
General population - Inhalation; Long term systemic effects: 6.6 mg/m ³
General population - Dermal; Long term systemic effects: 68.1 mg/kg
General population - Dermal; Long term local effects: 0.048 mg/cm ²
General population - Oral; Long term systemic effects: 3.8 mg/kg/day
- Fresh water; 0.23 mg/l
- marine water; 0.023 mg/l
- Intermittent release; 2.3 mg/l
- Sediment, Fresh water; 0.862 mg/kg
- Sediment, marine water; 0.0862 mg/kg
- Soil; 0.037 mg/kg
- STP; 100 mg/l
GLYCERINE (CAS: 56-81-5)
Industry - Inhalation; Long term local effects 56mg/m3
Fresh water 0.885 mg/l
Marine water 0.0885 mg/l
Sediment (Freshwater); 3.3 mg/Kg
Sediment (Marinewater); 0.33mg/Kg
STP; 1000mg/l
Soil; 0.141 mg/Kg

SODIUM HYDROXIDE (CAS: 1310-73-2)

DNEL	Industry - Inhalation; Long term local effects: 1.0 mg/m ³ DNEL data for Professional users is not yet available, but it is assumed to be the same as for Industrial users. Industry - Dermal; Short term local effects: 2%
PNEC	No information is available for PNEC data for Sodium Hydroxide
8.2. Exposure controls	
Protective equipment	
Appropriate engineering controls	Provide adequate general and local exhaust ventilation.
Personal protection	The PPE indicated above is not a COSHH assessment. It represents PPE that should be considered during the manufacture, distribution, use and final disposal stages of this product's life cycle. It is the responsibility of employers to conduct a COSHH/risk assessment to determine appropriate PPE levels. The information given below should be used to support this assessment. Where possible replace manual processes with automated or closed processes to minimise contact with the product.
Eye/face protection	The following protection should be worn: Chemical splash goggles. Refer to EN Standard 166 to select appropriate level of protection.
Other skin and body protection	Provide eyewash station. Wear suitable protective clothing as protection against splashing or contamination. Reference to EN 13832 and EN 943 is useful when selecting footwear and clothing.
Hygiene measures	Promptly remove non-impervious clothing that has become contaminated, provided it is not adhered to the skin. Wash contaminated clothing before reuse. Provide eyewash station and safety shower.
Respiratory protection	No specific recommendation made, but respiratory protection must be used if the general level exceeds the Workplace Exposure Limit. In the case of dust or aerosol formation (eg spraying), or vapour from hot vessels, use respiratory protection with an approved filter (P2).
Environmental exposure controls	Do not allow the substance to contaminate surface water/ground water. See points 6, 12 &13.
General Health and Safety Measures.	Normal use solutions will be unclassified. A full Risk Assessment should be carried out before handling any chemical(s). Risk Assessments should refer to COSHH, and any other relevant legislation or industry specific guidelines governing the use of chemicals. Use of gloves and eye protection is recommended as minimum PPE for use solutions.
SECTION 9: Physical and che	emical properties
9.1. Information on basic phys	sical and chemical properties
Appearance	Clear liquid.
Colour	Green
Odour	Indistinct.

Odour threshold	Not applicable.
рН	Concentrated Solution pH 10 - 11 Use Solution pH 8.5 - 9.5
Melting point	Not applicable.

Initial boiling point and range	Not applicable.
Flash point	Not applicable. Contains no Flammable Components
Evaporation rate	Not applicable.
Evaporation factor	Not applicable.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or explosive limits	Not applicable.
Other flammability	Not applicable.
Vapour pressure	Not applicable.
Vapour density	Not applicable.
Relative density	1.055 - 1.065 @ 20 Degrees C
Bulk density	Not applicable.
Solubility(ies)	Soluble in water.
Partition coefficient	Not applicable. Not technically practical for mixtures.
Auto-ignition temperature	Not applicable.
Decomposition Temperature	Not applicable.
Viscosity	Not determined.
Explosive properties	Not applicable.
Explosive under the influence of a flame	Not considered to be explosive.
Oxidising properties	Not applicable. Contains no Oxidising Components.
9.2. Other information	
Refractive index	Not applicable.
Particle size	Not applicable.
Molecular weight	Not applicable.
Volatility	Not applicable.
Saturation concentration	Not applicable.
Critical temperature	Not applicable.
Volatile organic compound	Not applicable.
Explosive Properties	Not Classified as Explosive
Storage Temperature Range	0 to 40 Degrees C
SECTION 10: Stability and rea	ctivity
10.1. Reactivity	

10.1. Reactivity

Reactivity

Not expected to react when correctly stored and used. Mixing with other chemicals may produce unexpected reactions.

10.2. Chemical stability

Stability

Stable at normal ambient temperatures and when used as recommended. - See note 10.6.

10.3. Possibility of hazardous	reactions
Possibility of hazardous reactions	Refer to section 10.1. Do not mix with Hypochlorite based chemicals, this could result in a dangerous heating of the solution.
10.4. Conditions to avoid	
Conditions to avoid	Avoid excessive heat for prolonged periods of time.
10.5. Incompatible materials	
Materials to avoid	Strong acids. Chlorinated detergents.
10.6. Hazardous decompositio	on products
Hazardous decomposition products	Does not decompose when used and stored as recommended See section 10.5.
SECTION 11: Toxicological inf	formation
11.1. Information on toxicologi	cal effects
Acute toxicity - oral	
ATE oral (mg/kg)	7,292.14
Acute toxicity - dermal	
ATE dermal (mg/kg)	53,921.57
Acute toxicity - inhalation ATE inhalation (dusts/mists mg/l)	24.67
Respiratory sensitisation Respiratory sensitisation	No evidence of respiratory sensitisation for any component of this formulation.
Skin sensitisation Skin sensitisation	No evidence of skin sensitisation for any component of this formulation.
Carcinogenicity Carcinogenicity	The components of this formulation will not be systemically available in the body under normal conditions of handling. As a consequence it is not expected to cause cancer.
Reproductive toxicity Reproductive toxicity - fertility	The components of this formulation will not be systemically available in the body under normal conditions of use and handling. As a consequence it is not expected to be toxic to the reproductive system or developing foetus.
General information	See section 4.2.
Inhalation	Unlikely route of exposure. Inhalation of sprayed droplets may result in soreness of the throat, mouth and nose See section 4.2.
Ingestion	Will cause severe irritation to mouth, throat and GI-Tract.
Skin contact	Prolonged contact may cause redness, irritation and dry skin.
Eye contact	Risk of serious damage to eyes. May cause permanent eye injury.
SECTION 12: Ecological inform	mation

10.3. Possibility of hazardous reactions

Ecotoxicity

Harmful to aquatic life with long lasting effects.

12.1. Toxicity

Acute aquatic toxicity Acute toxicity - fish	Normal use of diluted product is unlikely to pose a risk.	
12.2. Persistence and degrada	ability	
Persistence and degradability	The surfactant(s) used in this preparation complies (comply) with the biodegradability criteria as laid down in the European Detergents Regulation No 648/2004 as amended.	
12.3. Bioaccumulative potentia	<u>u</u>	
Bioaccumulative potential	Not expected to bioaccumulate.	
Partition coefficient	Not applicable. Not technically practical for mixtures.	
12.4. Mobility in soil		
Mobility	The product contains substances which are water soluble and may spread in water systems.	
12.5. Results of PBT and vPvB assessment		
Results of PBT and vPvB assessment	This product does not contain any substances classified as PBT or vPvB.	
12.6. Other adverse effects		
Other adverse effects	Not determined.	
SECTION 13: Disposal consid	erations	
13.1. Waste treatment method	<u>s</u>	
General information	When handling waste, the safety precautions applying to handling of the product should be considered. Disposal of this product, process solutions, residues and by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any local authority requirements. Do not mix with other chemicals.	
Disposal methods	Small volumes of use solution can be disposed of to sewers.	
Disposal methods SECTION 14: Transport inform	Small volumes of use solution can be disposed of to sewers.	
-	Small volumes of use solution can be disposed of to sewers.	
SECTION 14: Transport inform	Small volumes of use solution can be disposed of to sewers. nation The product is not covered by international regulations on the transport of dangerous goods	
SECTION 14: Transport inform	Small volumes of use solution can be disposed of to sewers. nation The product is not covered by international regulations on the transport of dangerous goods	
SECTION 14: Transport inform General 14.1. UN number	Small volumes of use solution can be disposed of to sewers. nation The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).	
SECTION 14: Transport inform General <u>14.1. UN number</u> Not applicable.	Small volumes of use solution can be disposed of to sewers. nation The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).	
SECTION 14: Transport inform General <u>14.1. UN number</u> Not applicable. <u>14.2. UN proper shipping name</u> Not applicable. <u>14.3. Transport hazard class(e</u>	Small volumes of use solution can be disposed of to sewers. nation The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID). e s)	
SECTION 14: Transport inform General <u>14.1. UN number</u> Not applicable. <u>14.2. UN proper shipping name</u> Not applicable. <u>14.3. Transport hazard class(e</u> No transport warning sign requ	Small volumes of use solution can be disposed of to sewers. nation The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID). e s)	
SECTION 14: Transport inform General <u>14.1. UN number</u> Not applicable. <u>14.2. UN proper shipping name</u> Not applicable. <u>14.3. Transport hazard class(e</u>	Small volumes of use solution can be disposed of to sewers. nation The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID). e s)	
SECTION 14: Transport inform General <u>14.1. UN number</u> Not applicable. <u>14.2. UN proper shipping name</u> Not applicable. <u>14.3. Transport hazard class(e</u> No transport warning sign requ <u>14.4. Packing group</u>	Small volumes of use solution can be disposed of to sewers. nation The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID). e s)	
SECTION 14: Transport inform General <u>14.1. UN number</u> Not applicable. <u>14.2. UN proper shipping name</u> Not applicable. <u>14.3. Transport hazard class(e</u> No transport warning sign requ <u>14.4. Packing group</u> Not applicable.	Small volumes of use solution can be disposed of to sewers. nation The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID). e image: s) uired.	
SECTION 14: Transport inform General 14.1. UN number Not applicable. 14.2. UN proper shipping name Not applicable. 14.3. Transport hazard class(e) No transport warning sign required 14.4. Packing group Not applicable. 14.5. Environmental hazards Environmentally hazardous su	Small volumes of use solution can be disposed of to sewers. nation The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID). e s) irred. bstance/marine pollutant	
SECTION 14: Transport inform General 14.1. UN number Not applicable. 14.2. UN proper shipping name Not applicable. 14.3. Transport hazard class(e No transport warning sign requ 14.4. Packing group Not applicable. 14.5. Environmental hazards Environmentally hazardous su No.	Small volumes of use solution can be disposed of to sewers. nation The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID). e s) irred. bstance/marine pollutant	
SECTION 14: Transport inform General 14.1. UN number Not applicable. 14.2. UN proper shipping name Not applicable. 14.3. Transport hazard class(e) No transport warning sign required 14.4. Packing group Not applicable. 14.5. Environmental hazards Environmentally hazardous sur No. 14.6. Special precautions for u Not applicable.	Small volumes of use solution can be disposed of to sewers. nation The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID). e s) irred. bstance/marine pollutant	

Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and the IBC Code

SECTION 15: Regulatory information

National regulations	UK Adoption and Implementation of the UN Globally Harmonised System (GHS) on Classification and Labelling of Chemicals (GB CLP) and considers UK National REACH legislation.
EU legislation	European Regulation (EC) No 1272/2008 (as amended) on Classification, Labelling and Packaging of Substances and Mixtures. Also considered is the REACH Regulation (EC) No.1907/2006 (as amended).

15.2. Chemical safety assessment

Pcs Information

No chemical safety assessment has been carried out.

SECTION 16: Other information

Abbreviations and acronyms used in the safety data sheet	 (EC) No. 1272/2008 : EU Regulation on Classification, Labelling and Packaging of Substances and Mixtures. NPIS - National Poisons Information Service. vPvB - Very Persistent, Very bioaccumulative. PBT - Persistent, Bioaccumulative & Toxic. REACH - Registration, Evaluation, Authorisation & restriction of CHemicals (Regulation EC 1907/2006). DNEL - Derived No Effect Limit. PNEC - Predicted No Effect Concentration. COSHH - Control of Substances Hazardous to Health. Industry - Refers in section 8 to application of the substance in an industrial process. Professional - Refers in section 8 to application/use of the preparation/product in a skilled trade premises.
General information	This document is a Safety Data Sheet, NOT a CoSHH assessment. It is the customer's responsibility to conduct a full CoSHH assessment, taking into account the information held within this document along with other local factors considered in a risk assessment. The Risk and Hazard statements listed below are the full text of abbreviations used in this document. They are not the final classification, for this refer to section 2.
Revision comments	Amendment to the emergency phone number in Section 1.4.
Revision date	16/10/2021
SDS number	23676

Hazard statements in full	 H290 May be corrosive to metals. H302 Harmful if swallowed. H312 Harmful in contact with skin. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H318 Causes serious eye damage. H319 Causes serious eye irritation. H332 Harmful if inhaled. H373 May cause damage to organs through prolonged or repeated exposure. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects.
REACH extended MSDS comments	REACH requires that persons handling chemicals should take the necessary risk management measures, in accordance with assessments from manufacturers and importers of chemical substances. The relevent recommendations must be passed along the supply chain. These assessments are generally reported in Exposure Scenarios. Where Exposure Scenarios have been provided for substances used in this product, the relevent information is incorporated into the safety data sheet.
END OF SAFETY DATA SHEET	

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.