

Reveal 3-D

For Peanut



Intended Use

Reveal 3-D for Peanut is intended for the qualitative analysis of peanut residue in clean-in-place rinses and on environmental surfaces.

The Test

Reveal 3-D for Peanut is a unique hand-held device with a 3-line readout: a control line confirms the method has been performed successfully and two other lines differentiate nondetectable, low and high levels of peanut.

The Procedure

1. Add Type 9 extraction buffer to sample tube.
2. Add 0.25 mL of rinse or environmental swab to a sample tube.
3. Cap and shake for 1 minute.
4. Remove cap and fill with liquid from tube.
5. Dip the Reveal 3-D device into the liquid in the lid.
6. Leave the cavity saturated until liquid is seen running into the test window.
7. Place device in a flat surface and allow test to develop for 5 minutes.

See package insert for complete instructions.

Product Specifications

Sensitivity:	Screens samples at 5 ppm peanut Screens swabs at 1 $\mu\text{g}/100\text{ cm}^2$ peanut
Testing time:	5 minutes
Storage:	Refrigerated (2–8°C)
Tests per kit:	10

Results



Ordering Information

Prod.#	Product description
901041L	Reveal 3-D for Peanut

Neogen Corporation

800/234-5333 • 517/372-9200 • E-mail: foodsafety@neogen.com

Neogen Europe

+44 (0) 1292 525600 • E-mail: info@neogeneurope.com